

H25 年度文献

1. 作製プロセス

- 1) Elahi, S.H. et al.: Investigating viscosity variations of molten aluminum by calcium addition and stirring, *Mater. Lett.*, **91** (2013), 376-378.
- 2) Heim, K. et al.: Drainage of particle-stabilized aluminium composites through single films and plateau borders, *Colloids Surfaces A*, **438** (2013), 85-92.
- 3) Mu, Y.L. et al.: Metal foam stabilization by copper-coated carbon fibers, *Scripta Mater.*, **68** (2013), 459-462.
- 4) 関戸健治ほか: 溶湯発泡法で作製されたポーラス Zn-22Al 超塑性合金のセル形態に及ぼす発泡条件の影響, *日本金属学会誌*, **77** (2013), 497-502.
- 5) Kumar, G.S.V. et al.: Reduced-pressure foaming of aluminum alloys, *Metall. Mater. Trans. A*, **44** (2013), 419-426.
- 6) Fan, X.L. et al.: Bubble formation at a submerged orifice for aluminum foams produced by gas injection method, *Metall. Mater. Trans. A*, **44** (2013), 729-737.
- 7) Yang, F. et al.: Pore formation and compressive deformation in porous TiAl-Nb alloys containing directional pores, *Mater. Design*, **49** (2013), 755-760.
- 8) Zhang, X.M. et al.: Fabrication of a three-dimensional bimodal porous metal, *Mater. Lett.*, **106** (2013), 417-420.
- 9) Hayashida, T. et al.: Fabrication of porous AlCu alloys with aligned unidirectional pores by dipping pipes in melt and semi-solid slurry, *Mater. Trans.*, **54** (2013), 2102-2108.
- 10) Ichikawa, J. et al.: Compressive properties of porous aluminum alloy fabricated by joining pipes and melt through continuous casting, *Mater. Sci. Forum*, **761** (2013), 151-155.
- 11) 羽賀俊雄ほか: アルミニウム合金の通孔材, 64 回塑加連講論, (2013), 375-376.
- 12) Bafti, H. et al.: Compressive properties of aluminum foam produced by powder-Carbamide spacer route, *Mater. Design*, **52** (2013), 404-411.
- 13) Li, B.Q. et al.: Effect of pore structure on the compressive property of porous Ti produced by powder metallurgy technique, *Mater. Design*, **50** (2013), 613-619.
- 14) Hangai, Y. et al.: Friction powder compaction process for fabricating open-celled Cu foam by sintering-dissolution process route using NaCl space holder, *Mater. Sci. Eng. A*, **585** (2013), 468-474.
- 15) 久米裕二ほか: ポーラスアルミニウムの圧縮特性に及ぼす合金組成およびスキン層の影響, *軽金属*, **63-12** (2013), 446-451.
- 16) Kobashi, M. et al.: Hierarchical open cellular porous TiAl manufactured by space holder process,

Intermetallics, **42** (2013), 32-34.

- 17) Capec, J.: Properties of porous magnesium prepared by powder metallurgy, *Mater. Sci. Eng. C*, **33** (2013), 564-569.
 - 18) Yamada, T. et al.: Preparation of micro-porous Si particles from Mg₂Si powder, *Mater. Lett.*, **98** (2013), 157-160.
 - 19) 阪上雅昭: 繊維を用いた金属ポーラス材料とその応用, 第 2 回ポーラス材料研究討論会概要, (2013), 7.
 - 20) 吉村英徳ほか: ボールチェーン状鈴形 MHS 成形体の開発, 64 回塑加連講論, (2013), 369-370.
 - 21) 村上太一ほか: 溶融スラグのフォーミングと還元プロセスによる多孔質鉄の開発, 64 回塑加連講論, (2013), 373-374.
 - 22) 鈴木進補ほか: ショットピーニングによるロータス銅のノンポーラススキン層形成機構と強化, 64 回塑加連講論, (2013), 355-356.
 - 23) 宇都宮登雄ほか: 摩擦攪拌法による ADC12 フォームコアサンドイッチパネルの作製と引張り特性, *日本金属学会誌*, **77** (2013), 385-390.
 - 24) 齋藤雅樹ほか: 摩擦圧接によるポーラスアルミニウム / 薄肉パイプ複合部材の創製, *機論 A*, **79** (2013), 1066-1070.
 - 25) 齋藤公佑ほか: Al/Al-Mg-Si/Al-Si-Cu 合金からなる 3 層傾斜機能ポーラスアルミニウムの機械的特性, *日本金属学会誌*, **77** (2013), 430-434.
 - 26) Yilbas, B.S. et al.: Laser hole cutting in aluminum foam: Influence of hole diameter on thermal stress, *Opt. Lasers Eng.*, **51** (2013), 23-29.
- ### 2. 機械的性質
- 27) 竹腰功ほか: アルミニウムフォームサンドイッチの部分圧縮成形における変形挙動, 64 回塑加連講論(2013), 363-364.
 - 28) 鎌田裕仁ほか: ADC12 ポーラス Al/緻密 ADC6 板サンドイッチパネルの気孔率と引張強度の関係, 64 回塑加連講論, (2013), 365-366.
 - 29) 圖子田幸佑ほか: 摩擦発熱現象を利用したポーラス Al の作製およびツール走査による大型化の検討, 64 回塑加連講論, (2013), 361-362.
 - 30) 岸本哲ほか: ハイブリッド化新規機能付与ツールとしてのポーラス材料を用いた材料特性制御, 64 回塑加連講論, (2013), 371-372.
 - 31) 関戸健治ほか: ポーラス Zn-22Al 合金の超塑性特性に及ぼすセル形態の影響, 64 回塑加連講論, (2013), 377-378.
 - 32) Fielder, T. et al.: Mechanical properties and micro-deformation of sintered metal hollow sphere structure, *Comp. Mat. Sci.*, **74** (2013), 143-147.
 - 33) Riegel, H. et al.: Laser beam welded sandwich structures with hollow sphere core, *Materialwissenschaft und Werkstofftechnik*, **44** (2013), 481-490.
 - 34) Kashef, S. et al.: Fracture mechanics of stainless steel

- foams, *Mater. Sci. Eng. A*, **578** (2013), 115-124.
- 35) Yu, M. et al.: Effects of particle clustering on the tensile properties and failure mechanisms of hollow spheres filled syntactic foams: A numerical investigation by microstructure based modeling, *Mater. Design*, **47** (2013), 80-89.
- 36) Karagiozova, D. et al.: Compaction of metal foam subjected to an impact by a low-density deformable projectile, *Int. J. Impact Eng.*, **62** (2013), 196-209.
- 37) Maîtrejean, G. et al.: Density dependence of the superelastic behavior of porous shape memory alloys: Representative volume element and scaling relation approaches, *Computational Mater. Sci.*, **77** (2013), 93-101.
- 38) Costas, M. et al.: Static and dynamic axial crushing analysis of car frontal impact hybrid absorbers, *Int. J. Impact Eng.*, **62** (2013), 166-181.
- 39) Qi, C. et al.: Numerical simulation of force enhancement by cellular material under blast load, *Adv. Mech. Eng.*, (2013), 1-10.
- 40) Betts, C. et al.: The effect of morphological imperfections on damage in 3D FE analysis of open-cell metal foam core sandwich panels, *Int. J. Mech. Sci.*, **75** (2013), 377-387.
- 41) Lainé, C. et al.: Analytical, numerical and experimental study of the bifurcation and collapse behavior of a 3D reinforced sandwich structure under through-thickness compression, *ibid*, **67** (2013), 42-52.
- 42) Xia, F. et al.: Numerical simulation of impact responses on through-thickness stitched foam core sandwich composite, *Appl. Comp. Mater.*, **20** (2013), 1041-1054.
- 43) Jing, L. et al.: Energy absorption and failure mechanism of metallic cylindrical sandwich shells under impact loading, *Mater. Design*, **52** (2013), 470-480.
- 44) Wang, J. et al.: Failure analysis of hydroforming of sandwich panels, *J. Manufacturing Processes*, **15** (2013), 256-262.
- 45) Hosseini, S.M.H. et al.: Numerical simulation of Lamb wave propagation in metallic foam sandwich structures: a parametric study, *Comp. Structures*, **97** (2013), 387-400.
- 46) Su, Y. et al.: A geometry factor for natural convection in open cell metal foam, *Int. J. Heat Mass Transfer*, **62** (2013), 697-710.
- 47) Ghafarian, M. et al.: Analysis of heat transfer in oscillating flow through a channel filled with metal foam using computational fluid dynamics, *Int. J. Thermal Sci.*, **66** (2013), 42-50.
- 48) Lin, W. et al.: A performance analysis of porous graphite foam heat exchangers in vehicles, *Appl. Thermal Eng.*, **50** (2013), 1201-1210.
- 49) Smith, D.S. et al.: Thermal conductivity of porous materials, *J. Mater. Res.* **28-17** (2013), 2260-2272.
- 50) Klostermann, J. et al.: Meshing of porous foam structures on the micro-scale, *Engineering with Computers*, **29** (2013), 95-110.
- 51) Storm, J. et al.: Geometrical modelling of foam structures using implicit functions, *Int. J. Solids Structures*, **50** (2013), 548-555.
- 3. 熱, 電気, その他の性質**
- 52) Tian, Y. et al.: Thermal and energetic analysis of metal foam-enhanced cascaded thermal energy storage (MF-CTES), *Int. J. Heat Mass Transfer*, **58** (2013), 86-96.
- 53) Liu, Z. et al.: Numerical modeling for solid-liquid phase change phenomena in porous media: Shell-and-tube type latent heat thermal energy storage, *Appl. Energy*, **112** (2013), 1222-1232.
- 54) Bianchi, E. et al.: Heat transfer properties of metal foam supports for structured catalysts: Wall heat transfer coefficient, *Catalysis Today*, **216** (2013), 121-134.
- 55) Kamath, P. M. et al.: Convection heat transfer from aluminum and copper foams in a vertical channel-An experimental study, *Int. J. Thermal Sci.*, **64** (2013), 1-10.
- 56) Madani, B. et al.: Experimental analysis of upward flow boiling heat transfer in a channel provided with copper metallic foam, *Appl. Thermal Eng.*, **52** (2013), 336-344.
- 57) Odabae M. et al.: Metal foam heat exchangers for thermal management of fuel cell system – An experimental study, *Experimental Thermal and Fluid Science*, **51** (2013), 214-219.
- 58) Mendes, M. A. A. et al.: A simple and efficient method for the evaluation of effective thermal conductivity of open-cell foam-like structure, *Int. J. Heat Mass Transfer*, **66** (2013), 412-422.
- 59) Fiedler, T. et al.: Experimental analysis on the thermal anisotropy of syntactic hollow sphere structures, *Experimental Thermal and Fluid Sci.*, **44** (2013), 637-641.
- 60) Gong, L. et al.: Thermal conductivity of highly porous mullite material, *Int. J. Heat Mass Transfer*, **67** (2013), 253-259.
- 61) Shimizu, T. et al.: Thermal conductivity of high porosity alumina refractory bricks made by a slurry gelation and foaming method, *J. Euro. Ceramics Soc.*, **33** (2013), 3429-3435
- 62) Navacerrada, M. A. et al.: Thermal and acoustic properties of aluminum foams manufactured by the infiltration process, *Appl. Acoustics*, **74** (2013), 496-501.
- 63) Carlesso, M. et al.: Improvement of sound absorption and flexural compliance of porous alumina-mullite

ceramics by engineering the microstructure and segmentation into topologically interlocked blocks, *J. Euro. Ceramics Soc.*, **33** (2013), 2549-2558.

4. ナノポーラス材料

- 64) Daniel, C. et al.: Monolithic nanoporous crystalline aerogels, *Macromol. Rapid Commun.*, **34** (2013), 1194-1207.
- 65) Md Jani, A. M. et al.: Nanoporous anodic aluminium oxide: Advances in surface engineering and emerging applications, *Prog. Mater. Sci.*, **58** (2013), 636-704.
- 66) Na, K. et al.: Recent advances in the synthesis of hierarchically nanoporous zeolites, *Microporous Mesoporous Mater.*, **166** (2013), 3-19.
- 67) Zhang, X. et al.: Unsupported nanoporous gold for heterogeneous catalysis, *Catal. Sci. Technol.*, **3** (2013), 2862-2868.
- 68) Hakamada, M. et al.: Fabrication, microstructure, and properties of nanoporous Pd, Ni, and their alloys by dealloying, *Crit. Rev. Solid State Mater. Sci.*, **38** (2013), 262-285.
- 69) Patel, H. A. et al.: Unprecedented high-temperature CO₂ selectivity in N₂-phobic nanoporous covalent organic polymers, *Nat. Commun.*, **4** (2013), 1357.
- 70) Qiu, X. et al.: Selective separation of similarly sized proteins with tunable nanoporous block copolymer membranes, *ACS Nano*, **7-1** (2013), 768-776.
- 71) Hou, Y. et al.: Ultrahigh capacitance of nanoporous metal enhanced conductive polymer pseudocapacitors, *J. Power Sources*, **225** (2013), 304-310.

5. 工業的応用

- 72) 松田一晃ほか: ロータス型ポーラス銅の構造および機械的性質に及ぼすショットピーニング加工の影響, *銅と銅合金*, **52-1**(2013), 92-96.
- 73) 松本 良ほか: 摩擦攪拌インクリメンタルフォーミング法により成形された表面緻密層を有する発泡アルミニウムの圧縮特性, *64 回塑加連講論*, (2013), 351-352.
- 74) 金谷重宏ほか: 粉末焼結積層造形法による発泡アルミニウムへの表面緻密層の形成, *64 回塑加連講論*, (2013), 353-354.
- 75) Crupi, V. et al.: Comparison of aluminium sandwiches for lightweight ship structures: Honeycomb vs. Foam, *Marine Structures*, **30** (2013), 74-96.
- 76) Quadrini, F. et al.: Numerical simulation of laser bending of aluminum foams, *Key Eng. Mater.*, **554-557** (2013), 1864-1871.
- 77) Utsunomiya, H. et al.: Lubrication using porous surface layer for cold drawing of steel wire, *CIRP Annals - Manufacturing Technol.*, **62-1** (2013), 235-238.